

提純技術迎來突破 抗頑功效全面提升

本地大學實測 減少異細胞高達96%

Polarchain Biotechnology Limited

Test Report No. R-CT24011

Date: 06/12/2024

Sample Description	:	Fucoidan 3+2
Sample Code	:	FU240812
Dosage Form	:	Powder
Ingredient	:	-
Sample Appearance	:	Brown powder
Received Sample Condition	:	sample in sealed pack
HKIB sample No.	:	-
Batch No.	:	242
Expiry Date	:	12/08/2025
Job No.	:	ICT24007
Report Type	:	Cancer Cell Line Test
Testing Period	:	09/ 2024- 12/2024

Please refer to the following page(s) for Test Requested, Test Method and Test Results



3+2配方褐藻糖膠

- ◆ 壓抑異細胞分裂
- ◆ 誘導異細胞凋亡
- ◆ 抑制血管內皮生長因子(VEGF)的形成，從而抑制血管生成，切斷異細胞的營養和氧氣供應
- ◆ 激活免疫系統，增強自然殺手細胞和T細胞消滅異細胞的能力

3+2配方褐藻糖膠

5大成分互相配合 發揮標靶抗頑效能

▶ 日本沖繩海蘊褐藻糖膠

→ 誘導異細胞凋亡



▶ 澳洲塔斯曼尼亞海域裙帶菜孢子葉糖膠

→ 抑制異細胞血管形成



▶ 澳洲塔斯曼尼亞海域墨角藻糖膠

→ 增強免疫系統




▶ 香港溫室微藻褐藻糖膠+岩藻黃素

→ 導入細胞，激發糖膠抗頑功效



本地大學異細胞測試


72 h (Colon)



結腸異細胞

抑制率高達 **91%**

72 h (Lung)




肺部異細胞

抑制率高達 **91%**


*實際數字或會因服用量及吸收率等因素而產生個體差異

本地大學異細胞測試



乳腺異細胞

抑制率高達 **90%**




肝臟異細胞

抑制率高達 **90%**

*實際數字或會因服用量及吸收率等因素而產生個體差異


本地大學異細胞測試



前列腺異細胞

抑制率高達 **96%**

新增測試項目



胰臟異細胞

抑制率高達 **89%**

新增測試項目

*實際數字或會因服用量及吸收率等因素而產生個體差異